## AMENDMENT TO THE CLAIMS

- 1. (Currently Amended) A pair of data-specs comprising:
  - a pair of spectacles adapted to be worn on the face of a person, the pair of spectacles having a first lens and a second lens; and
  - a projection unit coupled to the spectacles, the projection unit adapted to display data received from an information source,
  - wherein the first lens and the second lens are independent of the projection unit.
- 2. The data-specs of claim 1 wherein the information source is a computer, and wherein the projection unit is adapted to display data from the computer.
- 3. The data-specs of claim 1 wherein the information source is a television set, and wherein the projection unit is adapted to display data from the television set.
- 4. The data-specs of claim 1 further comprising a motion sensor and a controller, the controller is adapted to receive an input from the motion sensor and to responsively disable or enable a receiver of the projection unit.
- 5. The data-specs of claim 1 wherein the projection unit is capable of wired communication with the information source.
- 6. The data-specs of claim 1 wherein the projection unit is capable of wireless communication with the information source.
- 7. The data-specs of claim 1 wherein an aspect ratio of the data displayed by the projection unit is 4:3.

- 8. The data-specs of claim 1 wherein the projection unit is adapted to display data, received from the information source, on a virtual screen.
- 9. The data-specs of claim 1 wherein a size of the virtual screen is a function of a focal length of a line of the projection unit.
- 10. The data-specs of claim 8 wherein a size of the virtual screen is a function of a size of an image-forming display panel of the projection unit.
- 11. (Currently Amended) The data-specs of claim 1 wherein the projection unit is configured to possess a resolution of at least 640 x 480 pixels.
- 12. The data-specs of claim 1 wherein the projection unit is battery powered.
- 13. The data-specs of claim 1 wherein the projection unit is configured to receive power from the information source.
- 14. The data-specs of claim 1 wherein the projection unit is solar powered.
- 15. The data-specs of claim 1 wherein the projection unit is adapted to receive data from a transmitter that is integral with the information source.
- 16. The data-specs of claim 1 wherein the projection unit is adapted to receive data from a transmitter that is separate from the information source.

- 17. The data-specs of claim 1 further comprising a heat deflector.
- 18. (Currently Amended) A method of forming a wearable device that displays data from an information source, the method comprising:
  - providing a pair of spectacles adapted to be worn on the face of a person, the pair of spectacles having a first lens and a second lens; and
  - coupling a projection unit to the pair of spectacles, the projection unit adapted to display data received from an information source,
  - wherein the first lens and the second lens are independent of the projection unit.
- 19. The method of claim 18 wherein the projection unit is capable of wired communication with the information source.
- 20. The method of claim 18 wherein the projection unit is capable of wireless communication with the information source.